#### NOMAD'AIR VENUS

Datum: 2024-03-13 Page 1/11

Revision: N°10 2024-03-13

# SAFETY DATA SHEET

(REACH regulation (EC) n° 1907/2006 - n° 2020/878)

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

Product name: NOMAD'AIR VENUS

Product code: 10866

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Concentrated perfume composition free from alcohol.

For industrial and professional use only. Use: Perfumes, cosmetics and detergents.

### 1.3. Details of the supplier of the safety data sheet

Registered company name: IPC

Address: 10 Quai Malbert, 29200, BREST, FRANCE. Tel.: +33 (0)2 98 43 45 44. Fax: +33 (0)2 98 44 22 53

ipc@groupe-ipc.com

### 1.4. Emergency telephone number: +33 (0)1 45 42 59 59.

Association/Organisation: INRS / ORFILA http://www.centres-antipoison.net.

#### **SECTION 2: HAZARDS IDENTIFICATION**

## 2.1. Classification of the substance or mixture

## In compliance with EC regulation No. 1272/2008 and its amendments.

Skin irritation, Category 2 (Skin Irrit. 2, H315).

Eye irritation, Category 2 (Eye Irrit. 2, H319).

Skin sensitisation, Category 1 (Skin Sens. 1, H317).

Hazardous to the aquatic environment - Chronic hazard, Category 3 (Aquatic Chronic 3, H412).

This mixture does not present a physical hazard. Refer to the recommendations regarding the other products present on the site.

## 2.2. Label elements

# In compliance with EC regulation No. 1272/2008 and its amendments.

Hazard pictograms:



GHS07

Signal Word: WARNING

Product identifiers:

EC 250-954-9 4-TERT-BUTYLCYCLOHEXYL ACETATE EC 215-635-0 METHYL IONONE (MIXTURE OF ISOMERS)

EC 203-375-0 DL-CITRONELLOL

EC 202-086-7 **COUMARIN** 

CINNAMALDEHYDE EC 203-213-9

EC 229-695-0 P-ISOBUTYL-ALPHA-METHYL HYDROCINNAMALDEHYDE

EC 203-973-1 10-UNDECENAL

601-096-00-2 (R)-P-MENTHA-1,8-DIENE

Hazard statements:

Datum: 2024-03-13 Page 2/11 Revision: N°10 2024-03-13

H315	Causes ski	n irritation.

H317 May cause an allergic skin reaction. H319 Causes serious eve irritation.

H412 Harmful to aquatic life with long lasting effects.

Precautionary statements - Prevention:

P273 Avoid release to the environment.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

# Precautionary statements - Response:

P302 + P352IF ON SKIN: Wash with plenty of water and soap.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and P305 + P351 + P338

easy to do. Continue rinsing.

P332 + P313If skin irritation occurs: Get medical advice/attention. P333 + P313If skin irritation or rash occurs: Get medical advice/attention. P337 + P313If eye irritation persists: Get medical advice/attention.

### Precautionary statements - Disposal:

Dispose of the contents/container in a hazardous or special waste collection centre in accordance with P501

local, regional, national and/or international regulations.

#### 2.3. Other hazards

The mixture does not contain substances classified as 'Substances of Very High Concern' (SVHC) >= 0.1% published by the European CHemicals Agency (ECHA) under article 57 of REACH: http://echa.europa.eu/fr/candidate-list-table

The mixture fulfils neither the PBT nor the vPvB criteria for mixtures in accordance with annexe XIII of the REACH regulations EC 1907/2006.

The mixture does not contain substances = 0.1% with endocrine disrupting properties in accordance with the criteria of the Delegated Regulation (EU) 2017/2100 of the Commission or Regulation (EU) 2018/605 of the Commission.

## **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

#### 3.2. Mixtures

# **Composition:**

Identification	Classification (EC) 1272/2008	Note	%
CAS: 34590-94-8 EC: 252-104-2 REACH: 01-2119450011-60-XXXX DIPROPYLENE GLYCOL MONOMETHYL ETHER		[1]	50 <= x% < 62.8
CAS: 32210-23-4 EC: 250-954-9 REACH: 01-2119976286-24-XXXX 4-TERT-BUTYLCYCLOHEXYL ACETATE	GHS07 Wng Skin Sens. 1B, H317		5 <= x% < 6.4
CAS: 1335-46-2 EC: 215-635-0 REACH: 01-2119471851-35-000X METHYL IONONE (MIXTURE OF ISOMERS)	GHS07, GHS09 Wng Skin Irrit. 2, H315 Skin Sens. 1B, H317 Eye Irrit. 2, H319 Aquatic Chronic 2, H411		2.5 <= x % < 5.4
CAS: 18479-58-8 EC: 242-362-4 REACH: 01-2119457274-37-0008 DIHYDROMYRCENOL	GHS07 Wng Skin Irrit. 2, H315 Eye Irrit. 2, H319		2.5 <= x % < 4.3
CAS: 127-41-3 EC: 204-841-6 REACH: 01-2120138061-71-XXXX ALPHA-IONONE	Wng Aquatic Chronic 3, H412		2.5 <= x % < 3.4

Datum: 2024-03-13 Page 3/11 Revision: N°10 2024-03-13

CAS: 106-22-9 EC: 203-375-0	GHS07 Wng Skin Irrit. 2, H315		2.5 <= x % < 3.2
REACH: 01-2119453995-23-XXXX DL-CITRONELLOL	Skin Sens. 1B, H317 Eye Irrit. 2, H319		2.5 · A /0 · 3.2
CAS: 60-12-8 EC: 200-456-2 REACH: 01-2119963921-31-XXXX PHENETHYL ALCOHOL	GHS07 Wng Acute Tox. 4, H302 Eye Irrit. 2, H319		2.5 <= x % < 3.2
CAS: 140-11-4 EC: 205-399-7 REACH: 01-2119638272-42-XXXX BENZYL ACETATE	Wng Aquatic Chronic 3, H412	[1]	1 <= x % < 2
CAS: 91-64-5 EC: 202-086-7 REACH: 01-2119949300-45-XXXX COUMARIN	GHS07, GHS06 Dgr Acute Tox. 3, H301 Skin Sens. 1B, H317		1 <= x % < 1.4
CAS: 88-41-5 EC: 201-828-7 REACH: 01-2119970713-33-XXXX 2-TERT-BUTYLCYCLOHEXYL ACETATE	GHS09 Wng Aquatic Chronic 2, H411		1 <= x % < 1.3
CAS: 90-17-5 EC: 201-972-0 REACH: 01-2119929625-31-XXXX TRICHLOROMETHYL PHENYL CARBINYL ACETATE	GHS09 Aquatic Chronic 2, H411		1 <= x % < 1.3
CAS: 104-55-2 EC: 203-213-9 REACH: 01-2119935242-45-XXXX CINNAMALDEHYDE	GHS07 Wng Skin Sens. 1A, H317		0.1 <= x % < 1.3
CAS: 101-84-8 EC: 202-981-2 REACH: 01-2119472545-33-00XX DIPHENYL ETHER	GHS07, GHS09 Wng Eye Irrit. 2, H319 Aquatic Chronic 3, H412 Aquatic Acute 1, H400 M Acute = 1	[1]	$0.1 \le x \% < 1.3$
CAS: 6658-48-6 EC: 229-695-0 REACH: 01-2120770116-58-0000 P-ISOBUTYL-ALPHA-METHYL HYDROCINNAMALDEHYDE	GHS07 Wng Skin Irrit. 2, H315 Skin Sens. 1B, H317		$0.1 \le x \% < 0.9$
CAS: 112-45-8 EC: 203-973-1 REACH: 01-2119980959-11-000X 10-UNDECENAL	GHS07 Wng Skin Sens. 1B, H317 Aquatic Chronic 3, H412		0.1 <= x % < 0.8
INDEX: 601-096-00-2 CAS: 5989-27-5 EC: 227-813-5 REACH: 01-2119529223-47-00XX (R)-P-MENTHA-1,8-DIENE	GHS02, GHS07, GHS08, GHS09 Dgr Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Chronic 3, H412 Aquatic Acute 1, H400 M Acute = 1		0.1 <= x % < 0.6
CAS: 112-44-7 EC: 203-972-6 REACH: 01-2119529242-47-XXXX	GHS07, GHS09 Wng Skin Irrit. 2, H315		$0.1 \le x \% < 0.3$

Datum: 2024-03-13 Page 4/11

Revision: N°10 2024-03-13

### **Specific concentration limits:**

Identification	Specific concentration limits	ATE
CAS: 32210-23-4 EC: 250-954-9 REACH: 01-2119976286-24-XXXX 4-TERT-BUTYLCYCLOHEXYL ACETATE		oral: ATE = 3370 mg/kg BW
CAS: 18479-58-8 EC: 242-362-4 REACH: 01-2119457274-37-0008 DIHYDROMYRCENOL		oral: ATE = 3600 mg/kg BW
CAS: 127-41-3 EC: 204-841-6 REACH: 01-2120138061-71-XXXX ALPHA-IONONE		oral: ATE = 4590 mg/kg BW
CAS: 106-22-9 EC: 203-375-0 REACH: 01-2119453995-23-XXXX DL-CITRONELLOL		dermal: ATE = 2650 mg/kg BW oral: ATE = 3450 mg/kg BW
CAS: 60-12-8 EC: 200-456-2 REACH: 01-2119963921-31-XXXX PHENETHYL ALCOHOL		oral: ATE = 1610 mg/kg BW
CAS: 140-11-4 EC: 205-399-7 REACH: 01-2119638272-42-XXXX BENZYL ACETATE		oral: ATE = 2490 mg/kg BW
CAS: 91-64-5 EC: 202-086-7 REACH: 01-2119949300-45-XXXX COUMARIN		oral: ATE = 290 mg/kg BW
CAS: 88-41-5 EC: 201-828-7 REACH: 01-2119970713-33-XXXX 2-TERT-BUTYLCYCLOHEXYL ACETATE		oral: ATE = 4600 mg/kg BW
CAS: 101-84-8 EC: 202-981-2 REACH: 01-2119472545-33-00XX DIPHENYL ETHER		oral: ATE = 2830 mg/kg BW

## Information on ingredients:

(Full text of H-phrases: see section 16)

[1] Substance for which maximum workplace exposure limits are available.

## **SECTION 4: FIRST AID MEASURES**

As a general rule, in case of doubt or if symptoms persist, always call a doctor.

NEVER induce swallowing by an unconscious person.

## 4.1. description of first aid measures

#### In the event of splashes or contact with eyes:

Wash thoroughly with fresh, clean water for 15 minutes holding the eyelids open.

If there is any redness, pain or visual impairment, consult an ophthalmologist.

## In the event of splashes or contact with skin:

#### NOMAD'AIR VENUS

Datum: 2024-03-13 Page 5/11

Revision: N°10 2024-03-13

Remove contaminated clothing and wash the skin thoroughly with soap and water or a recognised cleaner.

Watch out for any remaining product between skin and clothing, watches, shoes, etc.

In the event of an allergic reaction, seek medical attention.

If the contaminated aera is widespread and/or there is damage to the skin, a doctor must be consulted or the patient transferred to hospital.

#### In the event of swallowing:

Do not give the patient anything orally.

In the event of swallowing, if the quantity is small (no more than one mouthful), rinse the mouth with water and consult a doctor.

Seek medical attention immediately, showing the label.

## 4.2. Most important symptoms and effects, both acute and delayed

No data available.

## 4.3. Indication of any immediate medical attention and special treatment needed

No data available.

#### **SECTION 5: FIREFIGHTING MEASURES**

Non-flammable.

## 5.1. Extinguishing media

### 5.2. Special hazards arising from the substance or mixture

A fire will often produce a thick black smoke. Exposure to decomposition products may be hazardous to health.

Do not breathe in smoke.

In the event of a fire, the following may be formed:

- carbon monoxide (CO)
- carbon dioxide (CO2)

## 5.3. Advice for firefighters

No data available.

# **SECTION 6: ACCIDENTAL RELEASE MEASURES**

### 6.1. Personal precautions, protective equipment and emergency procedures

Consult the safety measures listed under headings 7 and 8.

### For non first aid worker

Avoid any contact with the skin and eyes.

#### For first aid worker

First aid workers will be equipped with suitable personal protective equipment (See section 8).

## 6.2. Environmental precautions

Contain and control the leaks or spills with non-combustible absorbent materials such as sand, earth, vermiculite, diatomaceous earth in drums for waste disposal.

Prevent any material from entering drains or waterways.

### 6.3. Methods and material for containment and cleaning up

Clean preferably with a detergent, do not use solvents.

# 6.4. Reference to other sections

No data available.

# **SECTION 7: HANDLING AND STORAGE**

Requirements relating to storage premises apply to all facilities where the mixture is handled.

Individuals with a history of skin sensitisation should not, under any circumstance, handle this mixture.

# 7.1. Precautions for safe handling

Always wash hands after handling.

Remove and wash contaminated clothing before re-using.

#### Fire prevention:

Prevent access by unauthorised personnel.

# Recommended equipment and procedures:

For personal protection, see section 8.

Datum: 2024-03-13 Page 6/11

Revision: N°10 2024-03-13

Observe precautions stated on label and also industrial safety regulations.

Avoid skin and eye contact with this mixture.

#### Prohibited equipment and procedures:

No smoking, eating or drinking in areas where the mixture is used.

### 7.2. Conditions for safe storage, including any incompatibilities

No data available.

#### **Packaging**

Always keep in packaging made of an identical material to the original.

## 7.3. Specific end use(s)

No data available.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

### Occupational exposure limits:

- European Union (2022/431, 2019/1831, 2017/2398, 2017/164, 2009/161, 2006/15/CE, 2000/39/CE, 98/24/CE):

CAS	VME-mg/m3:	VME-ppm:	VLE-mg/m3:	VLE-ppm:	Notes
34590-94-8	308	50	-	-	Peau
101-84-8	7	1	14	2	-

- ACGIH TLV (American Conference of Governmental Industrial Hygienists, Threshold Limit Values, 2010):

CAS	TWA:	STEL:	Ceiling:	Definition:
34590-94-8	100 ppm	150 ppm		Skin
140-11-4	10 ppm			A4
101-84-8	1 ppm	2 ppm		

- France (INRS - Outils 65 / 2021-1849, 2021-1763, decree of 09/12/2021):

CAS	VME-ppm:	VME-mg/m3:	VLE-ppm:	VLE-mg/m3:	Notes:	TMP No
34590-94-8	50	308	-	-	*	84
101-84-8	1	7	2	14	-	-

Criteria:

- UK / WEL (Workplace exposure limits, EH40/2005, Fourth Edition 2020) :

CAS	TWA:	STEL:	Ceiling:	Definition:	Criteria:
	50 200				

34590-94-8 50 ppm 308 mg/m<sup>3</sup> Sk

101-84-8 1 ppm 7 mg/m<sup>3</sup> 2 ppm 14 mg/ m<sup>3</sup>

## 8.2. Exposure controls

## Personal protection measures, such as personal protective equipment

Pictogram(s) indicating the obligation of wearing personal protective equipment (PPE):





Use personal protective equipment that is clean and has been properly maintained.

Store personal protective equipment in a clean place, away from the work area.

Never eat, drink or smoke during use. Remove and wash contaminated clothing before re-using. Ensure that there is adequate ventilation, especially in confined areas.

## - Eye / face protection

Avoid contact with eyes.

Use eye protectors designed to protect against liquid splashes

Before handling, wear safety goggles with protective sides accordance with standard EN166.

In the event of high danger, protect the face with a face shield.

Prescription glasses are not considered as protection.

#### NOMAD'AIR VENUS

Datum: 2024-03-13 Page 7/11

Revision: N°10 2024-03-13

Individuals wearing contact lenses should wear prescription glasses during work where they may be exposed to irritant vapours. Provide eyewash stations in facilities where the product is handled constantly.

#### - Hand protection

Use suitable protective gloves that are resistant to chemical agents in accordance with standard EN ISO 374-1.

Gloves must be selected according to the application and duration of use at the workstation.

Protective gloves need to be selected according to their suitability for the workstation in question: other chemical products that may be handled, necessary physical protections (cutting, pricking, heat protection), level of dexterity required.

Type of gloves recommended:

- Natural latex
- Nitrile rubber (butadiene-acrylonitrile copolymer rubber (NBR))
- PVC (polyvinyl chloride)
- Butyl Rubber (Isobutylene-isoprene copolymer)

### - Body protection

Avoid skin contact.

Wear suitable protective clothing.

Suitable type of protective clothing:

In the event of substantial spatter, wear liquid-tight protective clothing against chemical risks (type 3) in accordance with EN14605/A1 to prevent skin contact.

In the event of a risk of splashing, wear protective clothing against chemical risks (type 6) in accordance with EN13034/A1 to prevent skin contact.

Work clothing worn by personnel shall be laundered regularly.

After contact with the product, all parts of the body that have been soiled must be washed.

## **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

## 9.1. Information on basic physical and chemical properties

1 Hysical state	
Physical state:	Fluid liquid.
Colour	

Color: LIGHT YELLOW

Odour

Odour threshold: Not stated.

Odour: ALDEHYDIC FLORAL POWDERY

Melting point

Physical state

Melting point/melting range: Not relevant.

Freezing point

Not stated. Freezing point / Freezing range:

Boiling point or initial boiling point and boiling range

Boiling point/boiling range: Not relevant.

**Flammability** 

Flammability (solid, gas): Not stated.

Lower and upper explosion limit

Explosive properties, lower explosivity limit (%): Not stated. Explosive properties, upper explosivity limit (%): Not stated.

Flash point

 $60^{\circ}\text{C} < \text{FP} <= 93^{\circ}\text{C}$ Flash Point Interval:

Auto-ignition temperature

Not relevant. Self-ignition temperature:

#### NOMAD'AIR VENUS

Datum: 2024-03-13 Page 8/11

Revision: N°10 2024-03-13

**Decomposition temperature** 

Decomposition point/decomposition range: Not relevant.

pН

pH (aqueous solution):

Not stated.

PH:

Not relevant.

Kinematic viscosity

Viscosity: Not stated.

Viscosity:  $v < 7 \text{ mm2/s} (40^{\circ}\text{C})$ 

**Solubility** 

Water solubility: Insoluble.
Fat solubility: Not stated.

Partition coefficient n-octanol/water (log value)

Partition coefficient: n-octanol/water: Not stated.

Vapour pressure

Vapour pressure (50°C): Below 110 kPa (1.10 bar).

Density and/or relative density

Density: 0.9573/0.9773@20°c

Relative vapour density

Vapour density: Not stated.

9.2. Other information

Index of refraction: 1.4429/1.4529@20°c

% VOC : 1.99

9.2.1. Information with regard to physical hazard classes

No data available.

9.2.2. Other safety characteristics

No data available.

## **SECTION 10: STABILITY AND REACTIVITY**

# 10.1. Reactivity

No data available.

## 10.2. Chemical stability

This mixture is stable under the recommended handling and storage conditions in section 7.

### 10.3. Possibility of hazardous reactions

No data available.

# 10.4. Conditions to avoid

Avoid:

- frost

## 10.5. Incompatible materials

No data available.

#### 10.6. Hazardous decomposition products

The thermal decomposition may release/form:

- carbon monoxide (CO)
- carbon dioxide (CO2)

## **SECTION 11: TOXICOLOGICAL INFORMATION**

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Datum: 2024-03-13 Page 9/11

Revision: N°10 2024-03-13

May cause irreversible damage to the skin; namely inflammation of the skin or the formation of erythema and eschar or oedema following exposure up to four hours.

May have reversible effects on the eyes, such as eye irritation which is totally reversible by the end of observation at 21 days.

May cause an allergic reaction by skin contact.

#### 11.1.1. Substances

#### Acute toxicity:

DIPHENYL ETHER (CAS: 101-84-8)

Oral route: LD50 = 2830 mg/kg bodyweight/day

2-TERT-BUTYLCYCLOHEXYL ACETATE (CAS: 88-41-5)

Oral route : LD50 = 4600 mg/kg bodyweight/day

COUMARIN (CAS: 91-64-5)

Oral route: LD50 = 290 mg/kg bodyweight/day

BENZYL ACETATE (CAS: 140-11-4)

Oral route: LD50 = 2490 mg/kg bodyweight/day

PHENETHYL ALCOHOL (CAS: 60-12-8)

Oral route: LD50 = 1610 mg/kg bodyweight/day

DL-CITRONELLOL (CAS: 106-22-9)

Oral route : LD50 = 3450 mg/kg bodyweight/dayDermal route : LD50 = 2650 mg/kg bodyweight/day

ALPHA-IONONE (CAS: 127-41-3)

Oral route: LD50 = 4590 mg/kg bodyweight/day

DIHYDROMYRCENOL (CAS: 18479-58-8)

Oral route: LD50 = 3600 mg/kg bodyweight/day

4-TERT-BUTYLCYCLOHEXYL ACETATE (CAS: 32210-23-4)

Oral route: LD50 = 3370 mg/kg bodyweight/day

## 11.1.2. Mixture

No toxicological data available for the mixture.

## 11.2. Information on other hazards

### Monograph(s) from the IARC (International Agency for Research on Cancer):

CAS 123-35-3 : IARC Group 2B : The agent is possibly carcinogenic to humans.

CAS 5989-27-5: IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

CAS 91-64-5: IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

CAS 140-11-4: IARC Group 3: The agent is not classifiable as to its carcinogenicity to humans.

## **SECTION 12: ECOLOGICAL INFORMATION**

Harmful to aquatic life with long lasting effects.

The product must not be allowed to run into drains or waterways.

### 12.1. Toxicity

### **12.1.2.** Mixtures

No aquatic toxicity data available for the mixture.

## 12.2. Persistence and degradability

No data available.

# 12.3. Bioaccumulative potential

No data available.

## 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

No data available.

# 12.6. Endocrine disrupting properties

## NOMAD'AIR VENUS

Datum: 2024-03-13 Page 10/11

Revision: N°10 2024-03-13

No data available.

#### 12.7. Other adverse effects

No data available.

## German regulations concerning the classification of hazards for water (WGK, AwSV Annex I, KBws):

WGK 2: Hazardous for water.

#### **SECTION 13: DISPOSAL CONSIDERATIONS**

Proper waste management of the mixture and/or its container must be determined in accordance with Directive 2008/98/EC.

#### 13.1. Waste treatment methods

Do not pour into drains or waterways.

#### Waste:

Waste management is carried out without endangering human health, without harming the environment and, in particular without risk to water, air, soil, plants or animals.

Recycle or dispose of waste in compliance with current legislation, via a certified collector or company.

Do not contaminate the ground or water with waste, do not dispose of waste into the environment.

### Soiled packaging:

Empty container completely. Keep label(s) on container.

Give to a certified disposal contractor.

#### **SECTION 14: TRANSPORT INFORMATION**

Exempt from transport classification and labelling.

### 14.1. UN number or ID number

14.2. UN proper shipping name

14.3. Transport hazard class(es)

14.4. Packing group

14.5. Environmental hazards

14.6. Special precautions for user

14.7. Maritime transport in bulk according to IMO instruments

## **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Classification and labelling information included in section 2:

The following regulations have been used:

- EU Regulation No. 1272/2008 amended by EU Regulation No. 2022/692 (ATP 18)

#### **Container information:**

No data available.

# Restrictions applied under Title VIII of Regulation (EC) No. 1907/2006 (REACH):

The mixture does not contain any substance restricted under Annex XVII of Regulation (EC) No. 1907/2006 (REACH): https://echa.europa.eu/ substances-restricted-under-reach.

## **Explosives precursors:**

The mixture does not contain any substance subject to Regulation (EU) 2019/1148 on the marketing and use of explosives precursors.

### **Particular provisions:**

No data available.

## German regulations concerning the classification of hazards for water (WGK, AwSV Annex I, KBws):

#### NOMAD'AIR VENUS

Datum: 2024-03-13 Page 11/11

Revision: N°10 2024-03-13

WGK 2: Hazardous for water.

## 15.2. Chemical safety assessment

No data available.

# **SECTION 16: OTHER INFORMATION**

Since the user's working conditions are not known by us, the information supplied on this safety data sheet is based on our current level of knowledge and on national and community regulations.

The mixture must not be used for other uses than those specified in section 1 without having first obtained written handling instructions.

It is at all times the responsibility of the user to take all necessary measures to comply with legal requirements and local regulations.

The information in this safety data sheet must be regarded as a description of the safety requirements relating to the mixture and not as a guarantee of the properties thereof.

#### Wording of phrases H, EUH listed in section 3 and phrases P from 2.2 not appearing on the label.

H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways. Causes skin
H315	irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects. Toxic to
H411	aquatic life with long lasting effects. Harmful to aquatic
H412	life with long lasting effects.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P264	Wash hands thoroughly after handling.
P362-364	Take off contaminated clothing and wash it before reuse.

#### Abbreviations and acronyms:

LD50: The dose of a test substance resulting in 50% lethality in a given time period. REACH: Registration, Evaluation, Authorization and Restriction of Chemical Substances.

ATE: Acute Toxicity Estimate

BW: Body Weight

STEL : Short-term exposure limit TWA : Time Weighted Averages TMP : French Occupational Illness table

TLV : Threshold Limit Value (exposure)

 $AEV: Average\ Exposure\ Value.$ 

ADR: European agreement concerning the international carriage of dangerous goods by Road.

IMDG: International Maritime Dangerous Goods. IATA: International Air Transport Association. ICAO: International Civil Aviation Organisation

RID: Regulations concerning the International carriage of Dangerous goods by rail.

WGK: Wassergefahrdungsklasse (Water Hazard Class).

GHS07: Exclamation mark

PBT: Persistent, bioaccumulable and toxic. vPvB: Very persistent, very bioaccumulable. SVHC: Substances of very high concern.